

## Publication List for the Niwot Ridge US-NR1 AmeriFlux site

---

Date: February 18, 2020

sean.burns@colorado.edu

- [1] N. C. Parazoo, T. Magney, A. Norton, B. Racza, C. Bacour, F. Maignan, I. Baker, Y. Zhang, B. Qiu, M. Shi, N. MacBean, D. R. Bowling, S. P. Burns, P. D. Blanken, J. Stutz, K. Grossman, and C. Frankenberg. Wide discrepancies in the magnitude and direction of modelled SIF in response to light conditions. *Biogeosciences Discussions*, 2020:1–42, 2020. doi: [10.5194/bg-2019-508](https://doi.org/10.5194/bg-2019-508).
- [2] J. Wen, P. Köhler, G. Duveiller, N. C. Parazoo, T. S. Magney, G. Hooker, L. Yu, C. Y. Chang, and Y. Sun. A framework for harmonizing multiple satellite instruments to generate a long-term global high spatial-resolution solar-induced chlorophyll fluorescence (SIF). *Remote Sensing of Environment*, 239:111644, 2020. doi: [10.1016/j.rse.2020.111644](https://doi.org/10.1016/j.rse.2020.111644).
- [3] R. Cheng, T. S. Magney, D. Dutta, D. R. Bowling, B. A. Logan, S. P. Burns, P. D. Blanken, K. Grossmann, S. Lopez, A. D. Richardson, J. Stutz, and C. Frankenberg. Decomposing reflectance spectra to track gross primary production in a subalpine evergreen forest. *Biogeosciences Discussions*, 2020:1–32, 2020. doi: [10.5194/bg-2020-41](https://doi.org/10.5194/bg-2020-41).
- [4] A. Ryken, L. A. Bearup, J. L. Jefferson, P. Constantine, and R. M. Maxwell. Sensitivity and model reduction of simulated snow processes: Contrasting observational and parameter uncertainty to improve prediction. *Adv. Water Resour.*, 135, 2020. doi: [10.1016/j.advwatres.2019.103473](https://doi.org/10.1016/j.advwatres.2019.103473).
- [5] B. Xu, M. A. Arain, T. A. Black, B. E. Law, G. Z. Pastorello, and H. Chu. Seasonal variability of forest sensitivity to heat and drought stresses: A synthesis based on carbon fluxes from North American forest ecosystems. *Glob. Change Biol.*, 26:901–918, 2020. doi: [10.1111/gcb.14843](https://doi.org/10.1111/gcb.14843).
- [6] R. C. Sullivan, V. R. Kotamarthi, and Y. Feng. Recovering evapotranspiration trends from biased CMIP5 simulations and sensitivity to changing climate over North America. *Journal of Hydrometeorology*, 20:1619–1633, 2019. doi: [10.1175/JHM-D-18-0259.1](https://doi.org/10.1175/JHM-D-18-0259.1).
- [7] R. C. Sullivan, D. R. Cook, V. P. Ghate, V. R. Kotamarthi, and Y. Feng. Improved spatiotemporal representativeness and bias reduction of satellite-based evapotranspiration retrievals via use of in situ meteorology and constrained canopy surface resistance. *Journal of Geophysical Research: Biogeosciences*, 124:342–352, 2019. doi: [10.1029/2018JG004744](https://doi.org/10.1029/2018JG004744).
- [8] Z. Quan, D. L. Ficklin, S. Manzoni, L. Wang, D. Way, R. P. Phillips, and K. A. Novick. Response of ecosystem intrinsic water use efficiency and gross primary productivity to rising vapor pressure deficit. *Environmental Research Letters*, 14:074023, 2019. doi: [10.1088/1748-9326/ab2603](https://doi.org/10.1088/1748-9326/ab2603).
- [9] C. Lin, P. Gentile, C. Frankenberg, S. Zhou, D. Kennedy, and X. Li. Evaluation and mechanism exploration of the diurnal hysteresis of ecosystem fluxes. *Agric. For. Meteorol.*, 278:107642, 2019. doi: [10.1016/j.agrformet.2019.107642](https://doi.org/10.1016/j.agrformet.2019.107642).
- [10] T. Xu, Z. Guo, Y. Xia, V. G. Ferreira, S. Liu, K. Wang, Y. Yao, X. J. Zhang, and C. S. Zhao. Evaluation of twelve evapotranspiration products from machine learning, remote sensing and land surface models over conterminous United States. *J. Hydrol.*, 578, 2019. doi: [10.1016/j.jhydrol.2019.124105](https://doi.org/10.1016/j.jhydrol.2019.124105).

- [11] A. Massmann, P. Gentine, and C. Lin. When does vapor pressure deficit drive or reduce evapotranspiration? *J. Adv. Model. Earth Syst.*, 11:3305–3320, 2019. doi: [10.1029/2019MS001790](https://doi.org/10.1029/2019MS001790).
- [12] S. P. Burns, J. L. Sun, D. H. Lenschow, S. P. Oncley, B. B. Stephens, C. Yi, D. E. Anderson, J. Hu, and R. K. Monson. Correction to: Atmospheric stability effects on wind fields and scalar mixing within and just above a subalpine forest in sloping terrain. *Bound.-Layer Meteor.*, 172: 481–484, 2019. doi: [10.1007/s10546-019-00436-5](https://doi.org/10.1007/s10546-019-00436-5).
- [13] P. Li and Z. Wang. Estimating evapotranspiration over vegetated surfaces based on wet patch patterns. *Hydrol. Res.*, 50:1037–1046, 2019. doi: [10.2166/nh.2019.034](https://doi.org/10.2166/nh.2019.034).
- [14] B. Racza, A. Porcar-Castell, T. Magney, E. Lee, P. Kohler, C. Frankenberg, K. Grossmann, B. A. Logan, J. Stutz, P. D. Blanken, S. P. Burns, H. Duarte, X. Yang, J. C. Lin, and D. R. Bowling. Sustained nonphotochemical quenching shapes the seasonal pattern of solar-induced fluorescence at a high-elevation evergreen forest. *J. Geophys. Res.-Biogeosci.*, 124:2005–2020, 2019. doi: [10.1029/2018JG004883](https://doi.org/10.1029/2018JG004883).
- [15] T. S. Magney, D. R. Bowling, B. A. Logan, K. Grossmann, J. Stutz, P. D. Blanken, S. P. Burns, R. Cheng, M. A. Garcia, P. Kohler, S. Lopez, N. C. Parazoo, B. Racza, D. Schimel, and C. Frankenberg. Mechanistic evidence for tracking the seasonality of photosynthesis with solar-induced fluorescence. *Proc. Natl. Acad. Sci. U. S. A.*, 116:11640–11645, 2019. doi: [10.1073/pnas.1900278116](https://doi.org/10.1073/pnas.1900278116).
- [16] S. V. J. van der Horst, A. J. Pitman, M. G. De Kauwe, A. Ukkola, G. Abramowitz, and P. Isaac. How representative are FLUXNET measurements of surface fluxes during temperature extremes? *Biogeosciences*, 16:1829–1844, 2019. doi: [10.5194/bg-16-1829-2019](https://doi.org/10.5194/bg-16-1829-2019).
- [17] R. Song, J. P. Muller, S. Kharbouche, and W. Woodgate. Intercomparison of surface albedo retrievals from MISR, MODIS, CGLS using tower and upscaled tower measurements. *Remote Sens.*, 11, 2019. doi: [10.3390/rs11060644](https://doi.org/10.3390/rs11060644).
- [18] J. Cheng, F. Yang, and Y. Guo. A comparative study of bulk parameterization schemes for estimating cloudy-sky surface downward longwave radiation. *Remote Sens.*, 11, 2019. doi: [10.3390/rs11050528](https://doi.org/10.3390/rs11050528).
- [19] H. Zhou, S. Liang, T. He, J. Wang, Y. Bo, and D. Wang. Evaluating the spatial representativeness of the MODerate resolution image spectroradiometer albedo product (MCD43) at AmeriFlux sites. *Remote Sens.*, 11, 2019. doi: [10.3390/rs11050547](https://doi.org/10.3390/rs11050547).
- [20] M. G. De Kauwe, B. E. Medlyn, A. J. Pitman, J. E. Drake, A. Ukkola, A. Griebel, E. Pendall, S. Prober, and M. Roderick. Examining the evidence for decoupling between photosynthesis and transpiration during heat extremes. *Biogeosciences*, 16:903–916, 2019. doi: [10.5194/bg-16-903-2019](https://doi.org/10.5194/bg-16-903-2019).
- [21] W. H. Maes, P. Gentine, N. E. C. Verhoest, and D. G. Miralles. Potential evaporation at eddy-covariance sites across the globe. *Hydrol. Earth Syst. Sci.*, 23:925–948, 2019. doi: [10.5194/hess-23-925-2019](https://doi.org/10.5194/hess-23-925-2019).
- [22] Y. Guo, J. Cheng, and S. Liang. Comprehensive assessment of parameterization methods for estimating clear-sky surface downward longwave radiation. *Theor. Appl. Climatol.*, 135:1045–1058, 2019. doi: [10.1007/s00704-018-2423-7](https://doi.org/10.1007/s00704-018-2423-7).

- [23] Z. Wei, X. Lee, F. Aemisegger, M. Benetti, M. Berkelhammer, M. Casado, K. Caylor, E. Christner, C. Dyroff, O. Garcia, Y. Gonzalez, T. Griffis, N. Kurita, J. Liang, M. C. Liang, G. H. Lin, D. Noone, K. Gribanov, N. C. Munksgaard, M. Schneider, F. Ritter, H. C. Steen-Larsen, C. Vallet-Coulob, X. F. Wen, J. S. Wright, W. Xiao, and K. Yoshimura. A global database of water vapor isotopes measured with high temporal resolution infrared laser spectroscopy. *Sci. Data*, 6, 2019. doi: [10.1038/sdata.2018.302](https://doi.org/10.1038/sdata.2018.302).
- [24] J. Rungee, R. Bales, and M. Goulden. Evapotranspiration response to multiyear dry periods in the semiarid western United States. *Hydrol. Process.*, 33:182–194, 2019. doi: [10.1002/hyp.13322](https://doi.org/10.1002/hyp.13322).
- [25] D. Dutta, D. S. Schimel, Y. Sun, C. van der Tol, and C. Frankenberg. Optimal inverse estimation of ecosystem parameters from observations of carbon and energy fluxes. *Biogeosciences*, 16:77–103, 2019. doi: [10.5194/bg-16-77-2019](https://doi.org/10.5194/bg-16-77-2019).
- [26] S. C. Swenson, S. P. Burns, and D. M. Lawrence. The impact of biomass heat storage on the canopy energy balance and atmospheric stability in the Community Land Model. *J. Adv. Model. Earth Syst.*, 11:83–98, 2019. doi: [10.1029/2018MS001476](https://doi.org/10.1029/2018MS001476).
- [27] D. M. Barnard, J. F. Knowles, H. R. Barnard, M. L. Goulden, J. Hu, M. E. Litvak, and N. P. Molotch. Reevaluating growing season length controls on net ecosystem production in evergreen conifer forests. *Sci Rep*, 8, 2018. doi: [10.1038/s41598-018-36065-0](https://doi.org/10.1038/s41598-018-36065-0).
- [28] J. Straube, M. S. Chen, W. Parton, S. Asso, Y. A. Liu, D. Ojima, and W. Gao. Development of the DayCent-Photo model and integration of variable photosynthetic capacity. *Front. Earth Sci.*, 12:765–778, 2018. doi: [10.1007/s11707-018-0736-6](https://doi.org/10.1007/s11707-018-0736-6).
- [29] W. R. Currier and J. D. Lundquist. Snow depth variability at the forest edge in multiple climates in the western United States. *Water Resour. Res.*, 54:8756–8773, 2018. doi: [10.1029/2018WR022553](https://doi.org/10.1029/2018WR022553).
- [30] X. Wu, X. Xiao, Y. Zhang, W. He, S. Wolf, J. Q. Chen, M. Z. He, C. M. Gough, Y. W. Qin, Y. Zhou, R. Doughty, and P. D. Blanken. Spatiotemporal consistency of four gross primary production products and solar-induced chlorophyll fluorescence in response to climate extremes across CONUS in 2012. *J. Geophys. Res.-Biogeosci.*, 123:3140–3161, 2018. doi: [10.1029/2018JG004484](https://doi.org/10.1029/2018JG004484).
- [31] E. M. Berryman, M. K. Vanderhoof, J. B. Bradford, T. J. Hawbaker, P. D. Henne, S. P. Burns, J. M. Frank, R. A. Birdsey, and M. G. Ryan. Estimating soil respiration in a subalpine landscape using point, terrain, climate, and greenness data. *J. Geophys. Res.-Biogeosci.*, 123:3231–3249, 2018. doi: [10.1029/2018JG004613](https://doi.org/10.1029/2018JG004613).
- [32] H. Chu, D. D. Baldocchi, C. Poindexter, M. Abraha, A. R. Desai, G. Bohrer, M. A. Arain, T. Griffis, P. D. Blanken, T. L. O'Halloran, R. Q. Thomas, Q. Zhang, S. P. Burns, J. M. Frank, D. Christian, S. Brown, T. A. Black, C. M. Gough, B. E. Law, X. Lee, J. Q. Chen, D. E. Reed, W. J. Massman, K. Clark, J. Hatfield, J. Prueger, R. Bracho, J. M. Baker, and T. A. Martin. Temporal dynamics of aerodynamic canopy height derived from eddy covariance momentum flux data across North American flux networks. *Geophys. Res. Lett.*, 45:9275–9287, 2018. doi: [10.1029/2018GL079306](https://doi.org/10.1029/2018GL079306).
- [33] X. Li, J. F. Xiao, B. B. He, M. A. Arain, J. Beringer, A. R. Desai, C. Emmel, D. Y. Hollinger, A. Krasnova, I. Mammarella, S. M. Noe, P. S. Ortiz, A. C. Rey-Sanchez, A. V. Rocha, and

- A. Varlagin. Solar-induced chlorophyll fluorescence is strongly correlated with terrestrial photosynthesis for a wide variety of biomes: First global analysis based on OCO-2 and flux tower observations. *Glob. Change Biol.*, 24:3990–4008, 2018. doi: [10.1111/gcb.14297](https://doi.org/10.1111/gcb.14297).
- [34] J. Joiner, Y. Yoshida, Y. Zhang, G. Duveiller, M. Jung, A. Lyapustin, Y. J. Wang, and C. J. Tucker. Estimation of terrestrial global gross primary production (GPP) with satellite data-driven models and eddy covariance flux data. *Remote Sens.*, 10, 2018. doi: [10.3390/rs10091346](https://doi.org/10.3390/rs10091346).
- [35] M. Wang, Y. Chen, X. Wu, and Y. Bai. Forest-type-dependent water use efficiency trends across the northern hemisphere. *Geophys. Res. Lett.*, 45:8283–8293, 2018. doi: [10.1029/2018GL079093](https://doi.org/10.1029/2018GL079093).
- [36] B. R. Helliker, X. Song, M. L. Goulden, K. Clark, P. Bolstad, J. W. Munger, J. Q. Chen, A. Noormets, D. Hollinger, S. Wofsy, T. Martin, D. Baldocchi, E. Euskirchenn, A. Desai, and S. P. Burns. Assessing the interplay between canopy energy balance and photosynthesis with cellulose  $\delta^{18}\text{O}$ : large-scale patterns and independent ground-truthing. *Oecologia*, 187:995–1007, 2018. doi: [10.1007/s00442-018-4198-z](https://doi.org/10.1007/s00442-018-4198-z).
- [37] L. M. Zuromski, D. R. Bowling, P. Kohler, C. Frankenberg, M. L. Goulden, P. D. Blanken, and J. C. Lin. Solar-induced fluorescence detects interannual variation in gross primary production of coniferous forests in the western United States. *Geophys. Res. Lett.*, 45:7184–7193, 2018. doi: [10.1029/2018GL077906](https://doi.org/10.1029/2018GL077906).
- [38] P. Bodesheim, M. Jung, F. Gans, M. D. Mahecha, and M. Reichstein. Upscaled diurnal cycles of land-atmosphere fluxes: a new global half-hourly data product. *Earth Syst. Sci. Data*, 10: 1327–1365, 2018. doi: [10.5194/essd-10-1327-2018](https://doi.org/10.5194/essd-10-1327-2018).
- [39] B. He, J. J. Liu, L. L. Guo, X. C. Wu, X. M. Xie, Y. F. Zhang, C. Chen, Z. Q. Zhong, and Z. Y. Chen. Recovery of ecosystem carbon and energy fluxes from the 2003 drought in Europe and the 2012 drought in the United States. *Geophys. Res. Lett.*, 45:4879–4888, 2018. doi: [10.1029/2018GL077518](https://doi.org/10.1029/2018GL077518).
- [40] K. S. Jennings, T. G. F. Kittel, and N. P. Molotch. Observations and simulations of the seasonal evolution of snowpack cold content and its relation to snowmelt and the snowpack energy budget. *Cryosphere*, 12:1595–1614, 2018. doi: [10.5194/tc-12-1595-2018](https://doi.org/10.5194/tc-12-1595-2018).
- [41] C. Rodenbeck, S. Zaehle, R. Keeling, and M. Heimann. How does the terrestrial carbon exchange respond to inter-annual climatic variations? a quantification based on atmospheric CO<sub>2</sub> data. *Biogeosciences*, 15:2481–2498, 2018. doi: [10.5194/bg-15-2481-2018](https://doi.org/10.5194/bg-15-2481-2018).
- [42] N. Bhattacharai, K. Mallick, N. A. Brunsell, G. Sun, and M. Jain. Regional evapotranspiration from an image-based implementation of the Surface Temperature Initiated Closure (STIC1.2) model and its validation across an aridity gradient in the conterminous US. *Hydrol. Earth Syst. Sci.*, 22:2311–2341, 2018. doi: [10.5194/hess-22-2311-2018](https://doi.org/10.5194/hess-22-2311-2018).
- [43] J. F. Knowles, N. P. Molotch, E. Trujillo, and M. E. Litvak. Snowmelt-driven trade-offs between early and late season productivity negatively impact forest carbon uptake during drought. *Geophys. Res. Lett.*, 45:3087–3096, 2018. doi: [10.1002/2017GL076504](https://doi.org/10.1002/2017GL076504).
- [44] D. R. Bowling, B. A. Logan, K. Hufkens, D. M. Aubrecht, A. D. Richardson, S. P. Burns, W. R. L. Anderegg, P. D. Blanken, and D. P. Eiriksson. Limitations to winter and spring photosynthesis of a Rocky Mountain subalpine forest. *Agric. For. Meteorol.*, 252:241–255, 2018. doi: [10.1016/j.agrformet.2018.01.025](https://doi.org/10.1016/j.agrformet.2018.01.025).

- [45] X. C. Lu, X. Cheng, X. L. Li, and J. W. Tang. Opportunities and challenges of applications of satellite-derived sun-induced fluorescence at relatively high spatial resolution. *Sci. Total Environ.*, 619:649–653, 2018. doi: [10.1016/j.scitotenv.2017.11.158](https://doi.org/10.1016/j.scitotenv.2017.11.158).
- [46] D. Szinyei, G. Gelybo, A. B. Guenther, A. A. Turnipseed, E. Toth, and P. J. H. Builtjes. Evaluation of ozone deposition models over a subalpine forest in Niwot Ridge, Colorado. *Idojaras*, 122:119–143, 2018. doi: [10.28974/idojaras.2018.2.2](https://doi.org/10.28974/idojaras.2018.2.2).
- [47] K.-Y. Chang, L. Xu, G. Starr, and K. T. Paw U. A drought indicator reflecting ecosystem responses to water availability: The normalized ecosystem drought index. *Agric. For. Meteorol.*, 250:102–117, 2018. doi: [10.1016/j.agrformet.2017.12.001](https://doi.org/10.1016/j.agrformet.2017.12.001).
- [48] J. von Buttlar, J. Zscheischler, A. Rammig, S. Sippel, M. Reichstein, A. Knohl, M. Jung, O. Menzner, M. A. Arain, N. Buchmann, A. Cescatti, D. Gianelle, G. Kiely, B. E. Law, V. Magliulo, H. Margolis, H. McCaughey, L. Merbold, M. Migliavacca, L. Montagnani, W. Oechel, M. Pavelka, M. Peichl, S. Rambal, A. Raschi, R. L. Scott, F. P. Vaccari, E. van Gorsel, A. Varlagin, G. Wohlfahrt, and M. D. Mahecha. Impacts of droughts and extreme-temperature events on gross primary production and ecosystem respiration: a systematic assessment across ecosystems and climate zones. *Biogeosciences*, 15:1293–1318, 2018. doi: [10.5194/bg-15-1293-2018](https://doi.org/10.5194/bg-15-1293-2018).
- [49] S. P. Burns, S. C. Swenson, W. R. Wieder, D. M. Lawrence, G. B. Bonan, J. F. Knowles, and P. D. Blanken. A comparison of the diel cycle of modeled and measured latent heat flux during the warm season in a Colorado subalpine forest. *J. Adv. Model. Earth Syst.*, 10:617–651, 2018. doi: [10.1002/2017MS001248](https://doi.org/10.1002/2017MS001248).
- [50] T. R. H. Holmes, C. R. Hain, W. T. Crow, M. C. Anderson, and W. P. Kustas. Microwave implementation of two-source energy balance approach for estimating evapotranspiration. *Hydrol. Earth Syst. Sci.*, 22:1351–1369, 2018. doi: [10.5194/hess-22-1351-2018](https://doi.org/10.5194/hess-22-1351-2018).
- [51] D. Ricciuto, K. Sargsyan, and P. Thornton. The impact of parametric uncertainties on biogeochemistry in the E3SM land model. *J. Adv. Model. Earth Syst.*, 10:297–319, 2018. doi: [10.1002/2017MS000962](https://doi.org/10.1002/2017MS000962).
- [52] G. A. Sexstone, D. W. Clow, S. R. Fassnacht, G. E. Liston, C. A. Hiemstra, J. F. Knowles, and C. A. Penn. Snow sublimation in mountain environments and its sensitivity to forest disturbance and climate warming. *Water Resour. Res.*, 54:1191–1211, 2018. doi: [10.1002/2017WR021172](https://doi.org/10.1002/2017WR021172).
- [53] Y. Zhang, M. Pan, J. Sheffield, A. L. Siemann, C. K. Fisher, M. L. Liang, H. E. Beck, N. Wanders, R. F. MacCracken, P. R. Houser, T. Zhou, D. P. Lettenmaier, R. T. Pinker, J. Bytheway, C. D. Kummerow, and E. F. Wood. A Climate Data Record (CDR) for the global terrestrial water budget: 1984–2010. *Hydrol. Earth Syst. Sci.*, 22:241–263, 2018. doi: [10.5194/hess-22-241-2018](https://doi.org/10.5194/hess-22-241-2018).
- [54] Z. Sun, X. Wang, H. Yamamoto, H. Tani, G. Zhong, and S. Yin. An attempt to introduce atmospheric CO<sub>2</sub> concentration data to estimate the gross primary production by the terrestrial biosphere and analyze its effects. *Ecol. Indic.*, 84:218–234, 2018. doi: [10.1016/j.ecolind.2017.08.057](https://doi.org/10.1016/j.ecolind.2017.08.057).
- [55] T. He, S. Liang, D. Wang, Y. Cao, F. Gao, Y. Yu, and M. Feng. Evaluating land surface albedo estimation from Landsat MSS, TM, ETM +, and OLI data based on the unified direct estimation approach. *Remote Sens. Environ.*, 204:181–196, 2018. doi: [10.1016/j.rse.2017.10.031](https://doi.org/10.1016/j.rse.2017.10.031).
- [56] H. Kim and J. J. Kaluarachchi. Estimating evapotranspiration using the complementary relationship and the Budyko framework. *J. Water Clim. Chang.*, 8:771–790, 2017. doi: [10.2166/wcc.2017.148](https://doi.org/10.2166/wcc.2017.148).

- [57] L. M. Kueppers, A. Faist, S. Ferrenberg, C. Castanha, E. Conlisk, and J. Wolf. Lab and field warming similarly advance germination date and limit germination rate for high and low elevation provenances of two widespread subalpine conifers. *Forests*, 8, 2017. doi: [10.3390/f8110433](https://doi.org/10.3390/f8110433).
- [58] Z. A. Mekonnen, R. F. Grant, and C. Schwalm. Carbon sources and sinks of North America as affected by major drought events during the past 30 years. *Agric. For. Meteorol.*, 244:42–56, 2017. doi: [10.1016/j.agrformet.2017.05.006](https://doi.org/10.1016/j.agrformet.2017.05.006).
- [59] H. F. Duarte, B. M. Racza, D. M. Ricciuto, J. C. Lin, C. D. Koven, P. E. Thornton, D. R. Bowling, C. T. Lai, K. J. Bible, and J. R. Ehleringer. Evaluating the Community Land Model (CLM4.5) at a coniferous forest site in northwestern United States using flux and carbon-isotope measurements. *Biogeosciences*, 14:4315–4340, 2017. doi: [10.5194/bg-14-4315-2017](https://doi.org/10.5194/bg-14-4315-2017).
- [60] F. Montane, A. M. Fox, A. F. Arellano, N. MacBean, M. R. Alexander, A. Dye, D. A. Bishop, V. Trouet, F. Babst, A. E. Hessl, N. Pederson, P. D. Blanken, G. Bohrer, C. M. Gough, M. E. Litvak, K. A. Novick, R. P. Phillips, J. D. Wood, and D. J. P. Moore. Evaluating the effect of alternative carbon allocation schemes in a land surface model (CLM4.5) on carbon fluxes, pools, and turnover in temperate forests. *Geosci. Model Dev.*, 10:3499–3517, 2017. doi: [10.5194/gmd-10-3499-2017](https://doi.org/10.5194/gmd-10-3499-2017).
- [61] Z. Fu, P. C. Stoy, Y. Q. Luo, J. Q. Chen, J. Sun, L. Montagnani, G. Wohlfahrt, A. F. Rahman, S. Rambal, C. Bernhofer, J. S. Wang, G. Shirkey, and S. L. Niu. Climate controls over the net carbon uptake period and amplitude of net ecosystem production in temperate and boreal ecosystems. *Agric. For. Meteorol.*, 243:9–18, 2017. doi: [10.1016/j.agrformet.2017.05.009](https://doi.org/10.1016/j.agrformet.2017.05.009).
- [62] E. D. Gutmann, J. T. Van Stan, J. Friesen, D. P. Aubrey, and J. Lundquist. Observed compression of in situ tree stems during freezing. *Agric. For. Meteorol.*, 243:19–24, 2017. doi: [10.1016/j.agrformet.2017.05.004](https://doi.org/10.1016/j.agrformet.2017.05.004).
- [63] B. Racza, S. C. Biraud, J. R. Ehleringer, C. T. Lai, J. B. Miller, D. E. Pataki, S. R. Saleska, M. S. Torn, B. H. Vaughn, R. Wehr, and D. R. Bowling. Does vapor pressure deficit drive the seasonality of  $\delta^{13}\text{C}$  of the net land-atmosphere  $\text{CO}_2$  exchange across the United States? *J. Geophys. Res.-Biogeosci.*, 122:1969–1987, 2017. doi: [10.1002/2017JG003795](https://doi.org/10.1002/2017JG003795).
- [64] B.-L. Xue, Q. Guo, T. Hu, G. Wang, Y. Wang, S. Tao, Y. Su, J. Liu, and X. Zhao. Evaluation of modeled global vegetation carbon dynamics: Analysis based on global carbon flux and above-ground biomass data. *Ecol. Model.*, 355:84–96, 2017. doi: [10.1016/j.ecolmodel.2017.04.012](https://doi.org/10.1016/j.ecolmodel.2017.04.012).
- [65] Z. Wang, C. B. Schaaf, Q. S. Sun, J. Kim, A. M. Erb, F. Gao, M. O. Roman, Y. Yang, S. Petrov, J. R. Taylor, J. G. Masek, J. T. Morisette, X. Y. Zhang, and S. A. Papuga. Monitoring land surface albedo and vegetation dynamics using high spatial and temporal resolution synthetic time series from Landsat and the MODIS BRDF/NBAR/albedo product. *Int. J. Appl. Earth Obs. Geoinf.*, 59:104–117, 2017. doi: [10.1016/j.jag.2017.03.008](https://doi.org/10.1016/j.jag.2017.03.008).
- [66] M. Choi, Q. Z. Mu, H. Kim, K. Hwang, and J. Hur. Ecosystem-dynamics link to hydrologic variations for different land-cover types. *Terr. Atmos. Ocean. Sci.*, 28:437–462, 2017. doi: [10.3319/TAO.2016.09.13.01](https://doi.org/10.3319/TAO.2016.09.13.01).
- [67] A. C. Foster, J. K. Shuman, H. H. Shugart, K. A. Dwire, P. J. Fornwalt, J. Sibold, and J. Negron. Validation and application of a forest gap model to the southern Rocky Mountains. *Ecol. Model.*, 351:109–128, 2017. doi: [10.1016/j.ecolmodel.2017.02.019](https://doi.org/10.1016/j.ecolmodel.2017.02.019).

- [68] J. C. Lin, D. V. Mallia, D. Wu, and B. B. Stephens. How can mountaintop CO<sub>2</sub> observations be used to constrain regional carbon fluxes? *Atmos. Chem. Phys.*, 17:5561–5581, 2017. doi: [10.5194/acp-17-5561-2017](https://doi.org/10.5194/acp-17-5561-2017).
- [69] L. P. Albert, T. F. Keenan, S. P. Burns, T. E. Huxman, and R. K. Monson. Climate controls over ecosystem metabolism: insights from a fifteen-year inductive artificial neural network synthesis for a subalpine forest. *Oecologia*, 184:25–41, 2017. doi: [10.1007/s00442-017-3853-0](https://doi.org/10.1007/s00442-017-3853-0).
- [70] M. Berkelhammer, I. C. Stefanescu, J. Joiner, and L. Anderson. High sensitivity of gross primary production in the Rocky Mountains to summer rain. *Geophys. Res. Lett.*, 44:3643–3652, 2017. doi: [10.1002/2016GL072495](https://doi.org/10.1002/2016GL072495).
- [71] W. R. Wieder, J. F. Knowles, P. D. Blanken, S. C. Swenson, and K. N. Suding. Ecosystem function in complex mountain terrain: Combining models and long-term observations to advance process-based understanding. *J. Geophys. Res.-Biogeosci.*, 122:825–845, 2017. doi: [10.1002/2016JG003704](https://doi.org/10.1002/2016JG003704).
- [72] R. A. Hember, N. C. Coops, and D. L. Spittlehouse. Spatial and temporal variability of potential evaporation across north american forests. *Hydrology*, 4, 2017. doi: [10.3390/hydrology4010005](https://doi.org/10.3390/hydrology4010005).
- [73] J. G. Alfieri, M. C. Anderson, W. P. Kustas, and C. Cammalleri. Effect of the revisit interval and temporal upscaling methods on the accuracy of remotely sensed evapotranspiration estimates. *Hydrol. Earth Syst. Sci.*, 21:83–98, 2017. doi: [10.5194/hess-21-83-2017](https://doi.org/10.5194/hess-21-83-2017).
- [74] K. Zhang, J. Ma, G. Zhu, T. Ma, T. Han, and L. Feng. Parameter sensitivity analysis and optimization for a satellite-based evapotranspiration model across multiple sites using Moderate Resolution Imaging Spectroradiometer and flux data. *J. Geophys. Res.-Atmos.*, 122:230–245, 2017. doi: [10.1002/2016JD025768](https://doi.org/10.1002/2016JD025768).
- [75] M. Haeni, R. Zweifel, W. Eugster, A. Gessler, S. Zielis, C. Bernhofer, A. Carrara, T. Grunwald, K. Havrankova, B. Heinesch, M. Herbst, A. Ibrom, A. Knohl, F. Lagergren, B. E. Law, M. Marek, G. Matteucci, J. H. McCaughey, S. Minerbi, L. Montagnani, E. Moors, J. Olejnik, M. Pavelka, K. Pilegaard, G. Pita, A. Rodrigues, M. J. S. Sanchez, M. J. Schelhaas, M. Urbaniak, R. Valentini, A. Varlagin, T. Vesala, C. Vincke, J. Wu, and N. Buchmann. Winter respiratory C losses provide explanatory power for net ecosystem productivity. *J. Geophys. Res.-Biogeosci.*, 122:243–260, 2017. doi: [10.1002/2016JG003455](https://doi.org/10.1002/2016JG003455).
- [76] S. Wolf, T. F. Keenan, J. B. Fisher, D. D. Baldocchi, A. R. Desai, A. D. Richardson, R. L. Scott, B. E. Law, M. E. Litvak, N. A. Brunsell, W. Peters, and I. T. van der Laan-Luijkx. Warm spring reduced carbon cycle impact of the 2012 US summer drought. *Proceedings of the National Academy of Sciences*, 113:5880–5885, 2016. doi: [10.1073/pnas.1519620113](https://doi.org/10.1073/pnas.1519620113).
- [77] Q. Xin. A risk-benefit model to simulate vegetation spring onset in response to multi-decadal climate variability: Theoretical basis and applications from the field to the Northern Hemisphere. *Agric. For. Meteorol.*, 228:139–163, 2016. doi: [10.1016/j.agrformet.2016.06.017](https://doi.org/10.1016/j.agrformet.2016.06.017).
- [78] D. M. Aubrecht, B. R. Helliker, M. L. Goulden, D. A. Roberts, C. J. Still, and A. D. Richardson. Continuous, long-term, high-frequency thermal imaging of vegetation: Uncertainties and recommended best practices. *Agric. For. Meteorol.*, 228:315–326, 2016. doi: [10.1016/j.agrformet.2016.07.017](https://doi.org/10.1016/j.agrformet.2016.07.017).
- [79] K. A. Novick, D. L. Ficklin, P. C. Stoy, C. A. Williams, G. Bohrer, A. C. Oishi, S. A. Papuga, P. D. Blanken, A. Noormets, B. N. Sulman, R. L. Scott, L. X. Wang, and R. P. Phillips. The

- increasing importance of atmospheric demand for ecosystem water and carbon fluxes. *Nat. Clim. Chang.*, 6:1023–1027, 2016. doi: [10.1038/NCLIMATE3114](https://doi.org/10.1038/NCLIMATE3114).
- [80] Q. C. Yang and X. S. Zhang. Improving swat for simulating water and carbon fluxes of forest ecosystems. *Sci. Total Environ.*, 569:1478–1488, 2016. doi: [10.1016/j.scitotenv.2016.06.238](https://doi.org/10.1016/j.scitotenv.2016.06.238).
- [81] R. Guerrieri, L. Lepine, H. Asbjornsen, J. F. Xiao, and S. V. Ollinger. Evapotranspiration and water use efficiency in relation to climate and canopy nitrogen in us forests. *J. Geophys. Res.-Biogeosci.*, 121:2610–2629, 2016. doi: [10.1002/2016JG003415](https://doi.org/10.1002/2016JG003415).
- [82] S. P. Burns, G. D. Maclean, P. D. Blanken, S. P. Oncley, S. R. Semmer, and R. K. Monson. The Niwot Ridge Subalpine Forest US-NR1 AmeriFlux site — Part 1: Data acquisition and site record-keeping. *Geosci. Instrum. Methods Data Syst.*, 5:451–471, 2016. doi: [10.5194/gi-5-451-2016](https://doi.org/10.5194/gi-5-451-2016).
- [83] B. Racza, H. F. Duarte, C. D. Koven, D. Ricciuto, P. E. Thornton, J. C. Lin, and D. R. Bowling. An observational constraint on stomatal function in forests: evaluating coupled carbon and water vapor exchange with carbon isotopes in the Community Land Model (CLM4.5). *Biogeosciences*, 13:5183–5204, 2016. doi: [10.5194/bg-13-5183-2016](https://doi.org/10.5194/bg-13-5183-2016).
- [84] N. P. Molotch, D. M. Barnard, S. P. Burns, and T. H. Painter. Measuring spatiotemporal variation in snow optical grain size under a subalpine forest canopy using contact spectroscopy. *Water Resour. Res.*, 52:7513–7522, 2016. doi: [10.1002/2016WR018954](https://doi.org/10.1002/2016WR018954).
- [85] L. Verrot and G. Destouni. Data-model comparison of temporal variability in long-term time series of large-scale soil moisture. *J. Geophys. Res.-Atmos.*, 121:10056–10073, 2016. doi: [10.1002/2016JD025209](https://doi.org/10.1002/2016JD025209).
- [86] T. S. Winchell, D. M. Barnard, R. K. Monson, S. P. Burns, and N. P. Molotch. Earlier snowmelt reduces atmospheric carbon uptake in midlatitude subalpine forests. *Geophys. Res. Lett.*, 43: 8160–8168, 2016. doi: [10.1002/2016GL069769](https://doi.org/10.1002/2016GL069769).
- [87] J. Zscheischler, S. Fatichi, S. Wolf, P. D. Blanken, G. Bohrer, K. Clark, A. R. Desai, D. Hollinger, T. Keenan, K. A. Novick, and S. I. Seneviratne. Short-term favorable weather conditions are an important control of interannual variability in carbon and water fluxes. *J. Geophys. Res.-Biogeosci.*, 121:2186–2198, 2016. doi: [10.1002/2016JG003503](https://doi.org/10.1002/2016JG003503).
- [88] Y. Yao, S. Liang, X. Li, S. Liu, J. Chen, X. Zhang, K. Jia, B. Jiang, X. Xie, S. Munier, M. Liu, J. Yu, A. Lindroth, A. Varlagin, A. Raschi, A. Noormets, C. Pio, G. Wohlfahrt, G. Sun, J. C. Domec, L. Montagnani, M. Lund, M. Eddy, P. D. Blanken, T. Grunwald, S. Wolf, and V. Magliulo. Assessment and simulation of global terrestrial latent heat flux by synthesis of CMIP5 climate models and surface eddy covariance observations. *Agric. For. Meteorol.*, 223: 151–167, 2016. doi: [10.1016/j.agrformet.2016.03.016](https://doi.org/10.1016/j.agrformet.2016.03.016).
- [89] M. Berkelhammer, D. C. Noone, T. E. Wong, S. P. Burns, J. F. Knowles, A. Kaushik, P. D. Blanken, and M. W. Williams. Convergent approaches to determine an ecosystem’s transpiration fraction. *Glob. Biogeochem. Cycle*, 30:933–951, 2016. doi: [10.1002/2016GB005392](https://doi.org/10.1002/2016GB005392).
- [90] M. Chen, G. B. Senay, R. K. Singh, and J. P. Verdin. Uncertainty analysis of the Operational Simplified Surface Energy Balance (SSEBop) model at multiple flux tower sites. *J. Hydrol.*, 536: 384–399, 2016. doi: [10.1016/j.jhydrol.2016.02.026](https://doi.org/10.1016/j.jhydrol.2016.02.026).

- [91] Y. Liu, C. Wu, D. L. Peng, S. G. Xu, A. Gonsamo, R. S. Jassal, M. A. Arain, L. L. Lu, B. Fang, and J. M. Chen. Improved modeling of land surface phenology using MODIS land surface reflectance and temperature at evergreen needleleaf forests of central North America. *Remote Sens. Environ.*, 176:152–162, 2016. doi: [10.1016/j.rse.2016.01.021](https://doi.org/10.1016/j.rse.2016.01.021).
- [92] Y. Zhou, X. Wu, W. Ju, J. Chen, S. Wang, H. Wang, W. Yuan, T. A. Black, R. Jassal, A. Ibrom, S. J. Han, J. H. Yan, H. Margolis, O. Roupsard, Y. N. Li, F. H. Zhao, G. Kiely, G. Starr, M. Pavelka, L. Montagnani, G. Wohlfahrt, P. D’Odorico, D. Cook, M. A. Arain, D. Bonal, J. Beringer, P. D. Blanken, B. Loubet, M. Y. Leclerc, G. Matteucci, Z. Nagy, J. Olejnik, K. T. Paw U, and A. Varlagin. Global parameterization and validation of a two-leaf light use efficiency model for predicting gross primary production across FLUXNET sites. *J. Geophys. Res.-Biogeosci.*, 121:1045–1072, 2016. doi: [10.1002/2014JG002876](https://doi.org/10.1002/2014JG002876).
- [93] Z. A. Mekonnen, R. F. Grant, and C. Schwalm. Contrasting changes in gross primary productivity of different regions of north america as affected by warming in recent decades. *Agric. For. Meteorol.*, 218:50–64, 2016. doi: [10.1016/j.agrformet.2015.11.016](https://doi.org/10.1016/j.agrformet.2015.11.016).
- [94] Y. Fang, G. Sun, P. Caldwell, S. G. McNulty, A. Noormets, J. C. Domec, J. King, Z. Q. Zhang, X. D. Zhang, G. H. Lin, G. S. Zhou, J. F. Xiao, and J. Q. Chen. Monthly land cover-specific evapotranspiration models derived from global eddy flux measurements and remote sensing data. *Ecohydrology*, 9:248–266, 2016. doi: [10.1002/eco.1629](https://doi.org/10.1002/eco.1629).
- [95] S. Metzger, G. Burba, S. P. Burns, P. D. Blanken, J. H. Li, H. Y. Luo, and R. C. Zulueta. Optimization of an enclosed gas analyzer sampling system for measuring eddy covariance fluxes of H<sub>2</sub>O and CO<sub>2</sub>. *Atmos. Meas. Tech.*, 9:1341–1359, 2016. doi: [10.5194/amt-9-1341-2016](https://doi.org/10.5194/amt-9-1341-2016).
- [96] L. Zhao, X. Lee, A. E. Suyker, and X. Wen. Influence of Leaf Area Index on the radiometric resistance to heat transfer. *Bound.-Layer Meteorol.*, 158:105–123, 2016. doi: [10.1007/s10546-015-0070-4](https://doi.org/10.1007/s10546-015-0070-4).
- [97] M. F. McCabe, A. Ershadi, C. Jimenez, D. G. Miralles, D. Michel, and E. F. Wood. The gewex landflux project: evaluation of model evaporation using tower-based and globally gridded forcing data. *Geosci. Model Dev.*, 9:283–305, 2016. doi: [10.5194/gmd-9-283-2016](https://doi.org/10.5194/gmd-9-283-2016).
- [98] B. L. Ruddell, R. Yu, M. Kang, and D. L. Childers. Seasonally varied controls of climate and phenophase on terrestrial carbon dynamics: modeling eco-climate system state using Dynamical Process Networks. *Landsc. Ecol.*, 31:165–180, 2016. doi: [10.1007/s10980-015-0253-x](https://doi.org/10.1007/s10980-015-0253-x).
- [99] J. Shao, X. Zhou, Y. Luo, B. Li, M. Aurela, D. Billesbach, P. D. Blanken, R. Bracho, J. Chen, M. Fischer, Y. Fu, L. Gu, S. Han, Y. He, T. Kolb, Y. Li, Z. Nagy, S. Niu, W. C. Oechel, K. Pinter, P. Shi, A. Suyker, M. Torn, A. Varlagin, H. Wang, J. Yan, G. Yu, and J. Zhang. Direct and indirect effects of climatic variations on the interannual variability in net ecosystem exchange across terrestrial ecosystems. *Tellus Ser. B-Chem. Phys. Meteorol.*, 68, 2016. doi: [10.3402/tellusb.v68.30575](https://doi.org/10.3402/tellusb.v68.30575).
- [100] A. I. J. M. van Dijk, J. H. Gash, E. van Gorsel, P. D. Blanken, A. Cescatti, C. Emmel, B. Gielen, I. N. Harman, G. Kiely, L. Merbold, L. Montagnani, E. Moors, M. Sottocornola, A. Varlagin, C. A. Williams, and G. Wohlfahrt. Rainfall interception and the coupled surface water and energy balance. *Agric. For. Meteorol.*, 214:402–415, 2015. doi: [10.1016/j.agrformet.2015.09.006](https://doi.org/10.1016/j.agrformet.2015.09.006).
- [101] G. Hao, Q. Zhuang, Q. Zhu, Y. He, Z. O. Jin, and W. Shen. Quantifying microbial ecophysiological effects on the carbon fluxes of forest ecosystems over the conterminous United States. *Clim. Change*, 133:695–708, 2015. doi: [10.1007/s10584-015-1490-3](https://doi.org/10.1007/s10584-015-1490-3).

- [102] K. Fleischer, D. Warlind, M. K. van der Molen, K. T. Rebel, A. Arneth, J. W. Erisman, M. J. Wassen, B. Smith, C. M. Gough, H. A. Margolis, A. Cescatti, L. Montagnani, A. Arain, and A. J. Dolman. Low historical nitrogen deposition effect on carbon sequestration in the boreal zone. *J. Geophys. Res.-Biogeosci.*, 120:2542–2561, 2015. doi: [10.1002/2015JG002988](https://doi.org/10.1002/2015JG002988).
- [103] J. F. Knowles, S. P. Burns, P. D. Blanken, and R. K. Monson. Fluxes of energy, water, and carbon dioxide from mountain ecosystems at Niwot Ridge, Colorado. *Plant Ecol. Divers.*, 8: 663–676, 2015. doi: [10.1080/17550874.2014.904950](https://doi.org/10.1080/17550874.2014.904950).
- [104] J. F. Knowles, A. A. Harpold, R. Cowie, M. Zeliff, H. R. Barnard, S. P. Burns, P. D. Blanken, J. F. Morse, and M. W. Williams. The relative contributions of alpine and subalpine ecosystems to the water balance of a mountainous, headwater catchment. *Hydrol. Process.*, 29:4794–4808, 2015. doi: [10.1002/hyp.10526](https://doi.org/10.1002/hyp.10526).
- [105] D. Baldocchi and C. Sturtevant. Does day and night sampling reduce spurious correlation between canopy photosynthesis and ecosystem respiration? *Agric. For. Meteorol.*, 207:117–126, 2015. doi: [10.1016/j.agrformet.2015.03.010](https://doi.org/10.1016/j.agrformet.2015.03.010).
- [106] J. D. Wood, T. J. Griffis, and J. M. Baker. Detecting drift bias and exposure errors in solar and photosynthetically active radiation data. *Agric. For. Meteorol.*, 206:33–44, 2015. doi: [10.1016/j.agrformet.2015.02.015](https://doi.org/10.1016/j.agrformet.2015.02.015).
- [107] H. Wang, W. J. Riley, and W. D. Collins. Statistical uncertainty of eddy covariance CO<sub>2</sub> fluxes inferred using a residual bootstrap approach. *Agric. For. Meteorol.*, 206:163–171, 2015. doi: [10.1016/j.agrformet.2015.03.011](https://doi.org/10.1016/j.agrformet.2015.03.011).
- [108] J. Shao, X. Zhou, Y. Luo, B. Li, M. Aurela, D. Billesbach, P. D. Blanken, R. Bracho, J. Chen, M. Fischer, Y. Fu, L. Gu, S. Han, Y. He, T. Kolb, Y. Li, Z. Nagy, S. Niu, W. C. Oechel, K. Pinter, P. Shi, A. Suyker, M. Torn, A. Varlagin, H. Wang, J. Yan, G. Yu, and J. Zhang. Biotic and climatic controls on interannual variability in carbon fluxes across terrestrial ecosystems. *Agric. For. Meteorol.*, 205:11–22, 2015. doi: [10.1016/j.agrformet.2015.02.007](https://doi.org/10.1016/j.agrformet.2015.02.007).
- [109] L. Meromy, N. P. Molotch, M. W. Williams, K. N. Musselman, and L. M. Kueppers. Snowpack-climate manipulation using infrared heaters in subalpine forests of the Southern Rocky Mountains, USA. *Agric. For. Meteorol.*, 203:142–157, 2015. doi: [10.1016/j.agrformet.2014.12.015](https://doi.org/10.1016/j.agrformet.2014.12.015).
- [110] A. J. Rigden and G. D. Salvucci. Evapotranspiration based on equilibrated relative humidity (ETRHEQ): Evaluation over the continental U.S. *Water Resour. Res.*, 51:2951–2973, 2015. doi: [10.1002/2014WR016072](https://doi.org/10.1002/2014WR016072).
- [111] Y. Xia, M. T. Hobbins, Q. Mu, and M. B. Ek. Evaluation of NLDAS-2 evapotranspiration against tower flux site observations. *Hydrol. Process.*, 29:1757–1771, 2015. doi: [10.1002/hyp.10299](https://doi.org/10.1002/hyp.10299).
- [112] X. Wu, W. Ju, Y. Zhou, M. He, B. E. Law, T. A. Black, H. A. Margolis, A. Cescatti, L. Gu, L. Montagnani, A. Noormets, T. J. Griffis, K. Pilegaard, A. Varlagin, R. Valentini, P. D. Blanken, S. Wang, H. Wang, S. Han, J. Yan, Y. Li, B. Zhou, and Y. Liu. Performance of linear and nonlinear two-leaf light use efficiency models at different temporal scales. *Remote Sens.*, 7: 2238–2278, 2015. doi: [10.3390/rs70302238](https://doi.org/10.3390/rs70302238).
- [113] S. P. Burns, P. D. Blanken, A. A. Turnipseed, J. Hu, and R. K. Monson. The influence of warm-season precipitation on the diel cycle of the surface energy balance and carbon dioxide at a Colorado subalpine forest site. *Biogeosciences*, 12:7349–7377, 2015. doi: [10.5194/bg-12-7349-2015](https://doi.org/10.5194/bg-12-7349-2015).

- [114] D. R. Bowling, J. E. Egan, S. J. Hall, and D. A. Risk. Environmental forcing does not induce diel or synoptic variation in the carbon isotope content of forest soil respiration. *Biogeosciences*, 12:5143–5160, 2015. doi: [10.5194/bg-12-5143-2015](https://doi.org/10.5194/bg-12-5143-2015).
- [115] Y. Fang, C. Liu, and L. R. Leung. Accelerating the spin-up of the coupled carbon and nitrogen cycle model in CLM4. *Geosci. Model Dev.*, 8:781–789, 2015. doi: [10.5194/gmd-8-781-2015](https://doi.org/10.5194/gmd-8-781-2015).
- [116] S. Pan, H. Tian, S. R. S. Dangal, Q. Yang, J. Yang, C. Lu, B. Tao, W. Ren, and Z. Ouyang. Responses of global terrestrial evapotranspiration to climate change and increasing atmospheric CO<sub>2</sub> in the 21st century. *Earth Future*, 3:15–35, 2015. doi: [10.1002/2014EF000263](https://doi.org/10.1002/2014EF000263).
- [117] M. Toomey, M. A. Friedl, S. Frolking, K. Hufkens, S. Klosterman, O. Sonnentag, D. D. Baldocchi, C. J. Bernacchi, S. C. Biraud, G. Bohrer, E. Brzostek, S. P. Burns, C. Coursolle, D. Y. Hollinger, H. A. Margolis, H. McCaughey, R. K. Monson, J. W. Munger, S. Pallardy, R. P. Phillips, M. S. Torn, S. Wharton, M. Zeri, and A. D. Richardson. Greenness indices from digital cameras predict the timing and seasonal dynamics of canopy-scale photosynthesis. *Ecol. Appl.*, 25:99–115, 2015. doi: [10.1890/14-0005.1](https://doi.org/10.1890/14-0005.1).
- [118] J. Xiao, S. V. Ollinger, S. Frolking, G. C. Hurt, D. Y. Hollinger, K. J. Davis, Y. D. Pan, X. Zhang, F. Deng, J. Chen, D. D. Baldocchi, B. E. Law, M. A. Arain, A. R. Desai, A. D. Richardson, G. Sun, B. Amiro, H. Margolis, L. Gu, R. L. Scott, P. D. Blanken, and A. E. Suyker. Data-driven diagnostics of terrestrial carbon dynamics over North America. *Agric. For. Meteorol.*, 197:142–157, 2014. doi: [10.1016/j.agrformet.2014.06.013](https://doi.org/10.1016/j.agrformet.2014.06.013).
- [119] J. M. Zobitz, D. J. P. Moore, T. Quaife, B. H. Braswell, A. Bergeson, J. A. Anthony, and R. K. Monson. Joint data assimilation of satellite reflectance and net ecosystem exchange data constrains ecosystem carbon fluxes at a high-elevation subalpine forest. *Agric. For. Meteorol.*, 195:73–88, 2014. doi: [10.1016/j.agrformet.2014.04.011](https://doi.org/10.1016/j.agrformet.2014.04.011).
- [120] W. Yuan, W. Cai, J. Xia, J. Chen, S. Liu, W. Dong, L. Merbold, B. Law, A. Arain, J. Beringer, C. Bernhofer, A. Black, P. D. Blanken, A. Cescatti, Y. Chen, L. Francois, D. Gianelle, I. A. Janssens, M. Jung, T. Kato, G. Kiely, D. Liu, B. Marcolla, L. Montagnani, A. Raschi, O. Roupard, A. Varlagin, and G. Wohlfahrt. Global comparison of light use efficiency models for simulating terrestrial vegetation gross primary production based on the LaThuile database. *Agric. For. Meteorol.*, 192:108–120, 2014. doi: [10.1016/j.agrformet.2014.03.007](https://doi.org/10.1016/j.agrformet.2014.03.007).
- [121] J. A. Biederman, A. A. Harpold, D. J. Gochis, B. E. Ewers, D. E. Reed, S. A. Papuga, and P. D. Brooks. Increased evaporation following widespread tree mortality limits streamflow response. *Water Resour. Res.*, 50:5395–5409, 2014. doi: [10.1002/2013WR014994](https://doi.org/10.1002/2013WR014994).
- [122] R. Rasmussen, K. Ikeda, C. H. Liu, D. Gochis, M. Clark, A. G. Dai, E. Gutmann, J. Dudhia, F. Chen, M. Barlage, D. Yates, and G. Zhang. Climate change impacts on the water balance of the Colorado headwaters: High-resolution regional climate model simulations. *J. Hydrometeorol.*, 15:1091–1116, 2014. doi: [10.1175/JHM-D-13-0118.1](https://doi.org/10.1175/JHM-D-13-0118.1).
- [123] D. R. Bowling, A. P. Ballantyne, J. B. Miller, S. P. Burns, T. J. Conway, O. Menzer, B. B. Stephens, and B. H. Vaughn. Ecological processes dominate the <sup>13</sup>C land disequilibrium in a Rocky Mountain subalpine forest. *Glob. Biogeochem. Cycle*, 28:352–370, 2014. doi: [10.1002/2013GB004686](https://doi.org/10.1002/2013GB004686).
- [124] D. Perrot, N. P. Molotch, K. N. Musselman, and E. T. Pugh. Modelling the effects of the mountain pine beetle on snowmelt in a subalpine forest. *Ecohydrology*, 7:226–241, 2014. doi: [10.1002/eco.1329](https://doi.org/10.1002/eco.1329).

- [125] A. M. Matheny, G. Bohrer, P. C. Stoy, I. T. Baker, A. T. Black, A. R. Desai, M. C. Dietze, C. M. Gough, V. Y. Ivanov, R. S. Jassal, K. A. Novick, K. V. R. Schafer, and H. Verbeeck. Characterizing the diurnal patterns of errors in the prediction of evapotranspiration by several land-surface models: An NACP analysis. *Journal of Geophysical Research: Biogeosciences*, 119: 1458–1473, 2014. doi: [10.1002/2014JG002623](https://doi.org/10.1002/2014JG002623).
- [126] S. P. Burns, N. P. Molotch, M. W. Williams, J. F. Knowles, B. Seok, R. K. Monson, A. A. Turnipseed, and P. D. Blanken. Snow temperature changes within a seasonal snowpack and their relationship to turbulent fluxes of sensible and latent heat. *J. Hydrometeorol.*, 15:117–142, 2014. doi: [10.1175/JHM-D-13-026.1](https://doi.org/10.1175/JHM-D-13-026.1).